



Notes - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CFI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Inett.	Std. Comm.	DGET		
1 Sachchida Nand Private ITI, Shokhara, Barauni, P.O. Barauni, Dist. Begusaral Pin-851112 Bihar DGET-6/4/112/2011-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	8(4+4)	SCIR-30/7/2011 w.e.f. Aug 2011
2 Gita Private ITI Piyarpur, P.O. Dhagalpura, P.S. Tarapur, Dist. Munger Pin-813221 Bihar DGET-6/4/108/2011-TC (New Pvt.)	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-28/07/2011 w.e.f. Aug 2011
	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	
3 Tanu Private ITI At Laxmi Nagar, Chakrasalpur More, Bihar Sharif, Dist. Nalanda Pin-803101 Bihar DGET-6/4/111/2011-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-14/07/2011 w.e.f. Aug 2011
	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	
4 Satya Private ITI, At. Dawanpur, P.O. Karwandi, Sasaram Dist. Rohtas Bihar DGET-6/4/30/2011-TC	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-06/04/2011 STR-29/07/2011 w.e.f. Aug 2011
	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	